

SAFETY DATA SHEET**OxyBAC®**

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product name OxyBAC®
Product number OXYNEW
Synonyms; trade names OxyBAC® EXTRA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses PT1 Human Hygiene Biocidal Product

1.3. Details of the supplier of the safety data sheet

Supplier SC Johnson Professional Ltd
Denby Hall Way
Denby
Derbyshire
DE5 8JZ
+44 (0) 1773 855100
info.prouk@scj.com

1.4. Emergency telephone number

Emergency telephone National Poisons Information Service (UK) 0344 8920111 (Health Professionals only)
National Poisons Information Centre (Eire) 01-8092566/8379964

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification (EC 1272/2008)**

Physical hazards Not Classified
Health hazards Eye Irrit. 2 - H319
Environmental hazards Not Classified

2.2. Label elements**Hazard pictograms**

Signal word Warning
Hazard statements H319 Causes serious eye irritation.

OxyBAC®

Precautionary statements	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P401 Store in accordance with local regulations. P501 Dispose of contents/ container in accordance with local regulations.
Supplemental label information	BPR001 Use biocides safely. Always read the label and product information before use. Eye protection not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

2-PHENOXYETHANOL			1-10%
CAS number: 122-99-6	EC number: 204-589-7		
Classification Acute Tox. 4 - H302 Eye Irrit. 2 - H319			
GLYCERIN			1-10%
CAS number: 56-81-5	EC number: 200-289-5	REACH registration number: 01-2119471987-18-XXXX	
Classification Not Classified			
2-METHYLPENTANE-2,4-DIOL			1-10%
CAS number: 107-41-5	EC number: 203-489-0		
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319			
HYDROGEN PEROXIDE SOLUTION			1-10%
CAS number: 7722-84-1	EC number: 231-765-0	REACH registration number: 01-2119485845-22-XXXX	
Classification Ox. Liq. 1 - H271 Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Corr. 1A - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Chronic 3 - H412			

OxyBAC®

D-GLUCOPYRANOSE, OLIGOMERIC, C10-16 ALKYL GLYCOSIDES			1-10%
CAS number: 110615-47-9	REACH registration number: 01-2119489418-23-XXXX		
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318			

AMINES,C12-14(EVEN NUMBERED) ALKYLDIMETHYL,N-OXIDES			1-10%
CAS number: 308062-28-4	EC number: 931-292-6	REACH registration number: 01-2119490061-47-XXXX	
M factor (Acute) = 1			
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411			

PHOSPHORIC ACID			<1%
CAS number: 7664-38-2	EC number: 231-633-2	REACH registration number: 01-2119485924-24-XXXX	
Classification Met. Corr. 1 - H290 Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318			

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Not relevant. Unlikely route of exposure as the product does not contain volatile substances.
Ingestion	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Rinse with water.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	None.

OxyBAC®

Eye contact May cause severe eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products No known hazardous decomposition products.

5.3. Advice for firefighters

Protective actions during firefighting No specific firefighting precautions known.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes.

6.2. Environmental precautions

Environmental precautions Avoid or minimise the creation of any environmental contamination. Avoid contamination of ponds or watercourses with washing down water.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Avoid contamination of ponds or watercourses with washing down water. Absorb spillage with non-combustible, absorbent material. Do not discharge into drains or watercourses or onto the ground.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place. Protect from light.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

GLYCERIN

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist

2-METHYLPENTANE-2,4-DIOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³

Short-term exposure limit (15-minute): WEL 25 ppm 123 mg/m³

OxyBAC®

HYDROGEN PEROXIDE SOLUTION

Long-term exposure limit (8-hour TWA): WEL 1 ppm 1.4 mg/m³

Short-term exposure limit (15-minute): WEL 2 ppm 2.8 mg/m³

PHOSPHORIC ACID

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

Ingredient comments None.

2-PHENOXYETHANOL (CAS: 122-99-6)

DNEL	Industry/Professional - Inhalation; Long term systemic effects: 24.22 mg/m ³ Workers - Inhalation; Long term local effects: 8.07 mg/m ³ Workers - Dermal; Long term systemic effects: 500 mg/kg/day General population - Inhalation; Long term systemic effects: 2.41 mg/m ³ General population - Inhalation; Long term local effects: 2.41 mg/m ³ General population - Dermal; Long term systemic effects: 10.42 mg/kg/day General population - Oral; Long term systemic effects: 9.23 mg/kg/day General population - Oral; Short term systemic effects: 9.23 mg/kg/day
PNEC	Fresh water; 0.943 mg/l marine water; 0.094 mg/l STP; 24.8 mg/l Sediment (Freshwater); 7.237 mg/kg Sediment (Marinewater); 0.724 mg/kg Soil; 1.26 mg/kg

GLYCERIN (CAS: 56-81-5)

DNEL	Workers - Inhalation; Long term local effects: 56 mg/m ³ General population - Inhalation; Long term local effects: 33 mg/m ³ General population - Oral; Long term systemic effects: 229 mg/kg/day
PNEC	Fresh water; 0.885 mg/l marine water; 0.088 mg/l STP; 1000 mg/l Sediment (Freshwater); 3.3 mg/kg Sediment (Marinewater); 0.33 mg/kg Soil; 0.141 mg/kg

HYDROGEN PEROXIDE SOLUTION (CAS: 7722-84-1)

DNEL	Workers - Inhalation; Long term local effects: 1.4 mg/m ³ Workers - Inhalation; Short term local effects: 3 mg/m ³ General population - Inhalation; Long term local effects: 0.21 mg/m ³ General population - Inhalation; Short term local effects: 1.93 mg/m ³
PNEC	- marine water; 0.0126 mg/l - Fresh water; 0.0126 mg/l - Sediment (Freshwater); 0.0103 mg/kg - Soil; 0.0023 mg/kg - Sediment (Marinewater); 0.047 mg/kg - Intermittent release; 0.0138 mg/kg - STP; 4.66 mg/l

OxyBAC®

D-GLUCOPYRANOSE, OLIGOMERIC, C10-16 ALKYL GLYCOSIDES (CAS: 110615-47-9)

DNEL	Workers - Inhalation; Long term systemic effects: 420 mg/m ³
	Workers - Dermal; Long term systemic effects: 595000 mg/kg/day
	General population - Inhalation; Long term systemic effects: 124 mg/m ³
	General population - Dermal; Long term systemic effects: 357000 mg/m ³
	General population - Oral; Long term systemic effects: 35.7 mg/kg/day
PNEC	Fresh water; 0.176 mg/l
	marine water; 0.018 mg/l
	STP; 5000 mg/l
	Sediment (Freshwater); 1.516 mg/kg
	Sediment (Marinewater); 0.065 mg/kg
	Soil; 0.654 mg/kg

AMINES, C12-14 (EVEN NUMBERED) ALKYL DIMETHYL, N-OXIDES (CAS: 308062-28-4)

DNEL	Workers - Inhalation; Long term systemic effects: 6.2 mg/m ³
	Workers - Dermal; Long term systemic effects: 11 mg/kg/day
	General population - Inhalation; Long term systemic effects: 1.53 mg/m ³
	General population - Dermal; Long term systemic effects: 5.5 mg/kg/day
	General population - Oral; Long term systemic effects: 0.44 mg/kg/day
PNEC	Fresh water; 0.034 mg/l
	marine water; 0.003 mg/l
	STP; 24 mg/l
	Sediment (Freshwater); 5.24 mg/kg
	Sediment (Marinewater); 0.524 mg/kg
	Soil; 1.02 mg/kg

PHOSPHORIC ACID (CAS: 7664-38-2)

DNEL	Workers - Inhalation; Long term local effects: 1 mg/m ³
	Workers - Inhalation; Short term local effects: 2 mg/m ³
	General population - Inhalation; Long term local effects: 0.73 mg/m ³
	General population - Oral; Long term systemic effects: 0.1 mg/kg/day

8.2. Exposure controls

Appropriate engineering controls

Not relevant.

Eye/face protection

Not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Hand protection not required.

Respiratory protection

No specific recommendations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless.
Odour	Characteristic.
Odour threshold	Not determined.

OxyBAC®

pH	pH (concentrated solution): 2.25-2.35
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	Scientifically unjustified.
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Scientifically unjustified.
Vapour pressure	No information available.
Vapour density	Not determined.
Relative density	Not determined.
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Scientifically unjustified.
Decomposition Temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Scientifically unjustified.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information	None.
--------------------------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	The following materials may react violently with the product: Strong reducing agents.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
------------------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not known.
---	------------

10.4. Conditions to avoid

Conditions to avoid	Avoid contact with strong reducing agents.
----------------------------	--

10.5. Incompatible materials

Materials to avoid	Strong reducing agents.
---------------------------	-------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended.
---	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

OxyBAC®

Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	6,693.51
<u>Acute toxicity - dermal</u>	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
<u>Acute toxicity - inhalation</u>	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
ATE inhalation (gases ppm)	225,000.0
ATE inhalation (vapours mg/l)	550.0
ATE inhalation (dusts/mists mg/l)	75.0
<u>Skin corrosion/irritation</u>	
Human skin model test	Not irritating.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	OECD 438 Causes serious eye irritation.
<u>Respiratory sensitisation</u>	
Respiratory sensitisation	Based on available data the classification criteria are not met.
<u>Skin sensitisation</u>	
Skin sensitisation	Not sensitising.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vivo	Does not contain any substances known to be mutagenic.
<u>Carcinogenicity</u>	
Carcinogenicity	Does not contain any substances known to be carcinogenic.
<u>Reproductive toxicity</u>	
Reproductive toxicity - development	Does not contain any substances known to be toxic to reproduction.
<u>Specific target organ toxicity - single exposure</u>	
STOT - single exposure	Not applicable.
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	Not applicable.
<u>Aspiration hazard</u>	
Aspiration hazard	Not anticipated to present an aspiration hazard, based on chemical structure.
Inhalation	No specific health hazards known.
Ingestion	May cause discomfort if swallowed.
Skin contact	Skin irritation should not occur when used as recommended.
Eye contact	May cause temporary eye irritation.

Toxicological information on ingredients.**HYDROGEN PEROXIDE SOLUTION****Acute toxicity - oral**

OxyBAC®

Acute toxicity oral (LD₅₀ mg/kg) 1,193.0

Species Rat Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.0

Species Rabbit

Acute toxicity - inhalation

ATE inhalation (gases ppm) 4,500.0

ATE inhalation (vapours mg/l) 11.0

ATE inhalation (dusts/mists mg/l) 1.5

AMINES,C12-14(EVEN NUMBERED) ALKYLDIMETHYL,N-OXIDES

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,064.0

Species Rat

ATE oral (mg/kg) 1,064.0

SECTION 12: Ecological information

12.1. Toxicity

Toxicity The product is not expected to be hazardous to the environment.

Ecological information on ingredients.

AMINES,C12-14(EVEN NUMBERED) ALKYLDIMETHYL,N-OXIDES

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - fish LC₅₀, 96 hours: 2.67 mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 72 hours: 3.1 mg/l, Daphnia magna

Acute toxicity - aquatic plants NOEC, 72 hours: 0.19 mg/l, Freshwater algae

Acute toxicity - microorganisms EC₁₀, 24 hour: 80 mg/l, Activated sludge

12.2. Persistence and degradability

OxyBAC®

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be considered.

Disposal methods Dispose of waste product or used containers in accordance with local regulations. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Reuse or recycle products wherever possible.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

OxyBAC®

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
REGULATION (EU) No 528/2012 (as amended) concerning the making available on the market and use of biocidal products.

PCS Number 97300

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information Use biocides safely. Always read the label and product information before use.

Key literature references and sources for data Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet.

Revision comments Revision of information NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 13/05/2019

Revision 8

Supersedes date 03/04/2019

SDS number 21780

Hazard statements in full H271 May cause fire or explosion; strong oxidiser.
H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Notes for Hazard Statements in Full The full text for Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.